


香港非傳染病防控策略及行動計劃 Strategy and Action Plan to Prevent and Control NCD in Hong Kong

Apr 2023 Edition







Health News Digest 健康新聞摘要

A young adult found unconscious in a taxi after drinking

A young man in his 20s was suspected of drinking a large amount of whiskey mixed with green tea when he was having a gathering with his friends in a bar. He was found unconscious on the way home in a taxi and certified dead after being sent to the hospital. A doctor suspected that the death might be related to heart attack or acute alcohol intoxication.

A young man hit by a drunk driver

A young man in his 20s was knocked down by a vehicle driven by a friend who drank in a gathering. He sustained serious head injury and was certified dead after resuscitation in the hospital.

Drunk women rescued after falling into Hong Kong Harbour

A woman in her 30s was suspected of being drunk and fell into the sea near Tsim Sha Tsui pier at night. Marine police and fireboats rushed to the scene and rescued the victim. She regained consciousness after being rescued and was taken to hospital for treatment.

Suspected drunk teenager found dead in bed

A teenager under the age of 20 was found unconscious with a cold body and black face in bed by his family in the morning. He was certified dead by ambulance officers. Sources stated the teen went to a bar with friends after work and returned home with drunkenness in the early hours. His family did not notice any abnormalities at that time. The teenager was discovered unconscious after eight hours.

A young woman knocked into unconsciousness after suspected drunkenness

A young woman aged less than 20 carrying a heavy smell of alcohol was knocked down by a taxi while passing by Tsim Sha Tsui. Her neck, hands and feet were injured and she fell unconscious. The victim was in serious condition.

After caring by ambulance officers on the spot, she was sent to hospital for treatment.

Effects of alcohol on human body vary from person to person, depending on age, sex, metabolic rate, body size and structure, amount of food in the stomach, speed and amount of drinking, and drug use, etc. In short, it is better not to drink.

*Extracted from local news



In the early morning, a man in his 20s carrying a heavy smell of alcohol was accidentally fell from a slope about 10 meters high in Mid-Levels, Central District after drinking alcohol. He was sent to the hospital and certified dead after resuscitation attempts.

Young People 3

Drinking is harmful to youths' brain development

Research shows that:

 Youths with long-term alcohol consumption have poorer memory.

 Alcohol is a toxin against youth's brain development. It affects nervous system development and self-control ability.

• Youths who start drinking before age 12 are more likely to have violent behaviours or injuries later on due to drinking or to skip lessons.

Youths who start drinking before age 18 are more likely to have alcohol abuse or dependence in adulthood.
 The risk would be even higher if they started drinking earlier (before age 15).

Results

8

Excessive drinking can cause death

Binge drinking

- Drinking 5 cans/glasses or more of alcohol at one go.
- Can lead to road traffic accidents, violent behaviours, unsafe sex, alcohol poisoning, etc.
- Research shows that binge-drinking youths have worse academic performance and more risky behaviours against health.





B2, B6, B9, C...

Alcohol-related laws

Restaurants

A license is required for selling alcoholic drinks in premises (e.g. restaurants and bars), and licensees should not permit people aged under 18 to drink intoxicating liquor (i.e. alcohol that can make people drunk) in licensed premises.

Sale and supply of intoxicating liquor to minors

If a person sell or supply intoxicating liquor to minors in the course of business, he/she would have committed an offence and could be fined up to HK\$50,000.

(Note: Intoxicating liquor is defined as alcohol that has more than 1.2 per cent ethyl alcohol by volume and is fit for or intended as a beverage.)

Drink driving

If a driver's body alcohol content is found exceeding the prescribed limit, he/ she will be prosecuted.

Prescribed limit	Penalties
Every 100 ml blood contains 50 mg of alcohol; or Every 100 ml breath contains 22 μg of alcohol; or Every 100 ml urine contains 67 mg of alcohol	 Maximum fine of HK\$25,000 and imprisonment for 3 years; Mandated to attend a driving improvement course; Incur 10 driving offence points; Driving disqualification



Alcohol is harmful, don't drink before you drive

How much alcohol can you drink before driving?

The alcohol absorption rate varies among people, so there is no general quideline on how much alcohol you can drink without exceeding the prescribed limit. The safest way is not to drink before driving.

Say NO to alcohol

Pick friends with whom you feel comfortable.

> Ask for non-alcoholic drinks, explain why you don't drink alcohol or

give an excuse.

Build up a correct mindset: I have the right not to drink, and this won't affect my relationship with true friends.



How often do you have a drink containing alcohol?

■Never ■ Monthly or less

1 score

☐2-4 times a month

☐2-3 times a week

3 scores

□≥4 times a week

Each question carries 0-4 scores;

a total score of ≥3 may indicate

risky drinking and you may need

professional help.

4 scores

2 How many units of alcohol (i.e. 1 can of beer/ 1 glass of wine/ 1 peg of spirits) do you drink on a typical day?

2 scores

□0-2 □3-4

□5-6

□7-9

□≥10

0 score 1

0 score

1 score

2 scores

3 scores

4 scores

3 How often do you drink at least 5 cans of beer/ 5 glasses of wine / 5 pegs of spirits on one occasion?

□Never

☐Less than monthly

■ Monthly

□Weekly

☐ Daily or almost daily

0 score

1 score

2 scores

3 scores

4 scores



1. Tung Wah Group of Hospitals "Stay Sober, Stay Free" Alcohol Abuse Prevention and Treatment Service

Telephone : 2884 9876

Website: http://atp.tungwahcsd.org

2. Tung Wah Group of Hospitals Integrated Centre on Addiction Prevention and Treatment

Telephone : 2827 1000

Website: http://icapt.tungwahcsd.org

Relevant information

For more information, please visit "Change for Health" website of the Department of Health at www.change4health.gov.hk.



Young People 9 Young People 10

How much alcohol have I consumed?

Find out how many "units of alcohol" you have consumed with the following formula. An "alcohol unit" equals 10 g of pure alcohol.

Number of alcohol unit(s) = Drink volume (ml) x Alcohol content (% by volume) / 1000 x 0.789

Туре	Alcohol content (% by volume)*	Alcohol unit *	Volume per container or per usual serving
Beer/Alcopops	5%	1	330ml (1 can)
Cider	5%	1	275 ml (1 small bottle)
Red wine/ White wine/ Champagne	12%	1	125ml (small glass)
Plum wine	15%	1	75ml (1/4 small bottle)
Spirits (e.g. Whisky/ Vodka/ Brandy)	40%	1	30ml (pub measure)
Chinese spirits/ Chinese Baijiu	52 %	1	25 ml (0.5 tael)

Remark: *Approximate values only.

"Responsible drinking" is misleading!

Alcohol industry says:

"Responsible drinking means making an informed and sensible decision about alcohol consumption. This means consumers should not drink when they are pregnant or underage, and they should not drive after drinking. They also should not engage in excessive drinking and other kinds of alcohol-related activities which can harm them individually or others in/society."

Actually...

this is their promotional tactic.
They blame drinkers for alcohol-related problems, without mentioning harms of alcohol to the body, e.g. cancers and alcohol addiction.
They are shedding responsibilities and misleading

the public.